

Author Index

Animal Feed Science and Technology, volumes 76–82

- Aarstad, K.G., see Skrede, A., 76 (1998) 103
- Abd-Elrazig, S.M. and Elzubeir, E.A., Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89
- Abdalla, A.L., see Vitti, D.M., 79 (1999) 145
- Abel, H., see Römer, A., 81 (1999) 193
- Abou-El-Enin, O.H., Fadel, J.G. and Mackill, D.J., Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129
- Abouheif, M.A., see Kraidees, M.S., 76 (1998) 149
- Abu, O.A., see Onifade, A.A., 77 (1999) 25
- Acamovic, C.S., see Salawu, M.B., 82 (1999) 243
- Acamovic, T., see Salawu, M.B., 77 (1999) 181
- Acamovic, T., see Salawu, M.B., 79 (1999) 289
- Adejumo, D.O., see Onifade, A.A., 77 (1999) 25
- Adekunle, I.O., see Larbi, A., 77 (1999) 33
- Adesogan, A.T., see Owen, T., 82 (1999) 51
- Adogla-Bessa, E., see Owen, T., 82 (1999) 51
- Agarwal, N., see Sahoo, A., 80 (1999) 83
- Agnew, R.E., see Park, R.S., 78 (1999) 325
- Aguiar, C., see Camacho, D., 80 (1999) 123
- Agunbiade, J.A., Wiseman, J. and Cole, D.J.A., Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165
- Al-Dosari, M.N., see Belal, I.E., 81 (1999) 291
- Al-Jasser, M.S., see Belal, I.E., 81 (1999) 291
- Al-Saiady, M.Y., see Kraidees, M.S., 76 (1998) 149
- Alhadhrami, G.A., see Wanderley, R.C., 76 (1999) 207
- Ali, M.A., see Khatun, A., 81 (1999) 43
- Alomar, D., Fuchslocher, R. and Stockebrand, S., Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309
- Alomar, D., Montero, R. and Fuchslocher, R., Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57
- Alzueta, C., see Rebolé, A., 78 (1999) 153
- Åman, P., see Bergh, M.O., 78 (1999) 215
- Ammerman, C.B., see Pott, E.B., 79 (1999) 107
- Ammerman, C.B., see Pott, E.B., 79 (1999) 93
- Anang, D.M., see Donkoh, A., 81 (1999) 299
- Ankrah, N.O., Campbell, G.L., Tyler, R.T., Rossnagel, B.G. and Sokhansanj, S.R.T., Hydrothermal and β -glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205
- Apori, S.O., Castro, F.B., Shand, W.J. and Ørskov, E.R., Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129
- Apori, S.O., see Long, R.J., 80 (1999) 101
- Aquino-Ramos, J.L., see Wanderley, R.C., 76 (1999) 207
- Armstrong, D.G., see Ortega-Cerrilla, M.E., 77 (1999) 73, 83
- Aroeira, L.J.M., Lopes, F.C.F., Deresz, F., Verneque, R.S., Dayrell, M.S., Matos, L.L.de, Maldonado-Vasquez, H. and Vittori, A., Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313
- Ashes, J.R., see Gulati, S.K., 79 (1999) 57
- Atreja, P.P., see Gupta, H.K., 78 (1999) 159
- Atuahene, C.C., see Donkoh, A., 77 (1999) 163
- Atuahene, C.C., see Donkoh, A., 81 (1999) 299
- Baah, J., Tait, R.M., Tuah, A.K., McAllister, T.A., Bae, H.D. and Cheng, K.-J., Examination of microbial degradation of *Ficus exasperata*

- leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213
- Babatunde, G.M., see Onifade, A.A., 77 (1999) 25
- Bae, H.D., see Baah, J., 77 (1999) 213
- Bailey, D.W. and Sims, P.L., Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95
- Balogun, R.O., Jones, R.J. and Holmes, J.H.G., Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77
- Bamikole, M.A. and Ezenwa, I., Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67
- Barnes, R.J., see Park, R.S., 78 (1999) 325
- Basson, H.M., see Meeske, R., 81 (1999) 237
- Bayourthe, C., see Enjalbert, F., 76 (1999) 195
- Becerro, F., see García-Ciudad, A., 77 (1999) 91
- Belal, I.E., Al-Jasser, M.S., Mustafa, I.A. and Al-Dosari, M.N., Evaluation of date-feed ingredients mixes, 81 (1999) 291
- Belyea, R.L., see Ledoux, D.R., 76 (1999) 227
- Ben Salem, H., Nefzaoui, A., Ben Salem, L. and Tisserand, J.L., Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297
- Ben Salem, L., see Ben Salem, H., 78 (1999) 297
- Ben-Ghedalia, D., see Yosef, E., 80 (1999) 55
- Berg, T., see Tolera, A., 79 (1999) 165
- Berge, G.M., see Skrede, A., 76 (1998) 103
- Bergh, M.O., Razdan, A. and Åman, P., Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215
- Beynen, A.C., see Xu, C., 81 (1999) 161
- Bhatta, R., see Sankhyan, S.K., 82 (1999) 261
- Bister, J.L., see Derycke, G., 81 (1999) 81
- Bister, J.L., see Mandiki, S.N.M., 81 (1999) 93
- Blanchart, G., see Lambert, A., 82 (1999) 75
- Blas, E., see Pascual, J.J., 81 (1999) 105
- Bodin, J.C., see van Kempen, T., 76 (1998) 139
- Boorman, K.N., see Short, F.J., 79 (1999) 195
- Boros, D., Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219
- Boss, D.L., see Bowman, J.G.P., 78 (1999) 273
- Bowman, J.G.P., see Earley, A.V., 80 (1999) 281
- Bowman, J.G.P., Sowell, B.F., Boss, D.L. and Sherwood, H., Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273
- Broudiscou, A., see Broudiscou, L.-P., 77 (1999) 149
- Broudiscou, A.F., see Broudiscou, L.P., 79 (1999) 43
- Broudiscou, L.-P., Papon, Y. and Broudiscou, A., Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149
- Broudiscou, L.P., Papon, Y. and Broudiscou, A.F., Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43
- Brufau, J., see Cosson, T., 77 (1999) 345
- Bunch, R., see McSweeney, C.S., 82 (1999) 227
- Burns, J.C., see Merkel, R.C., 82 (1999) 91, 107
- Caffrey, P.J., see O'Mara, F.P., 81 (1999) 167
- Camacho, D., Nahed, J., Ochoa, S., Jiménez, G., Soto, L., Grande, D., Pérez-Gil, F., Carmona, J. and Aguilar, C., Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123
- Campbell, G.L., see Ankrah, N.O., 81 (1999) 205
- Campbell, L.D., see Slominski, B.A., 78 (1999) 249
- Canistro, J., see Fonty, G., 80 (1999) 297
- Carabaño, R., see Nicodemus, N., 80 (1999) 43
- Carabaño, R., see Xiccato, G., 77 (1999) 201
- Carazzolo, A., see Xiccato, G., 77 (1999) 201
- Caridi, A., see Scerra, V., 78 (1999) 169
- Carmona, J., see Camacho, D., 80 (1999) 123
- Carpino, S., see Licitra, G., 77 (1999) 99
- Carré, B., see Mohanna, C., 77 (1999) 255
- Carro, M.D., López, S., Valdés, C. and Ovejero, F.J., Effect of DL-malate on mixed ruminal microorganism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279
- Carson, A.F., see Dawson, L.E.R., 82 (1999) 21
- Castro, F.B., see Apori, S.O., 76 (1998) 129
- Castro, F.B., see Long, R.J., 80 (1999) 101
- Cervera, C., see Pascual, J.J., 81 (1999) 105
- Chamberlain, D.G., see Oh, Y.G., 78 (1999) 227
- Chan, W.W. and Dehority, B.A., Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61
- Changting, X., see Defa, L., 78 (1999) 179
- Channa, K.S., see Mauricio, R.M., 79 (1999) 321
- Chaudhary, L.C., see Sahoo, A., 80 (1999) 83
- Chavarot, M., see Fonty, G., 80 (1999) 297
- Chen, C.R., see Huang, H.J., 77 (1999) 303
- Chen, H.L., see Xiao, R.J., 79 (1999) 119
- Chen, X.B., see Liu, J.X., 76 (1999) 345
- Chen, X.B., see Verbič, J., 82 (1999) 195
- Cheng, K.-J., see Baah, J., 77 (1999) 213
- Cheng, K.J., see Hristov, A.N., 76 (1998) 161

- Chiang, S.H., see Jean, K.B., 76 (1999) 241
- Chicoteau, P., see Enjalbert, F., 76 (1999) 195
- Chihora, R.M., see Mandibaya, W., 78 (1999) 287
- Choung, J.J., see Oh, Y.G., 78 (1999) 227
- Christensen, D.A., see Mustafa, A.F., 76 (1999) 265
- Christensen, D.A., see Mustafa, A.F., 80 (1999) 247
- Classen, H.L., see Irish, G.G., 76 (1999) 321
- Classen, H.L., see Maenz, D.D., 76 (1999) 335
- Classen, H.L., see Maenz, D.D., 81 (1999) 177
- Cole, D.J.A., see Agunbiade, J.A., 80 (1999) 165
- Cone, J.W. and van Gelder, A.H., Influence of protein fermentation on gas production profiles, 76 (1999) 251
- Corley III, R.N., Woldeghebriel, A., Corley, M.M. and Murphy, M.R., Effect of ethanol concentration and application period of soyabean meal on the kinetics of ruminal digestion, 79 (1999) 247
- Corley, M.M., see Corley III, R.N., 79 (1999) 247
- Cosson, T., Pérez Vendrell, A.M., González Teresa, B., Reñé, D., Taillade, P. and Brufau, J., Enzymatic assays for xylanase and β -glucanase feed enzymes, 77 (1999) 345
- Coyle, J.E., see O'Mara, F.P., 81 (1999) 167
- Cruywagen, C.W., see Meeske, R., 81 (1999) 237
- Cuddeford, D., see Lowman, R.S., 80 (1999) 11
- D'Alfonso, T.H., Manbeck, H.B. and Roush, W.B., Partitioning of variance in true metabolizable energy determinations: an example using wheat data, 80 (1999) 29
- Das, A. and Singh, G.P., Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133
- Dass, R.S., see Hosamani, S.V., 76 (1998) 117
- Dawson, L.E.R., Carson, A.F. and Kilpatrick, D.J., The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21
- Dawson, L.E.R., see Gordon, F.J., 79 (1999) 15
- Dayrell, M.S., see Aroeira, L.J.M., 78 (1999) 313
- de Blas, C., see Nicodemus, N., 80 (1999) 43
- de Blas, J.C., see Medel, P., 82 (1999) 145
- Defa, L., Changting, X., Shiyan, Q., Jinhui, Z., Johnson, E.W. and Thacker, P.A., Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179
- Dehority, B.A., see Chan, W.W., 77 (1999) 61
- del Mastro, N.L., see Vitti, D.M., 79 (1999) 145
- den Hartog, L.A., see Scholten, R.H.J., 82 (1999) 1
- Deresz, F., see Aroeira, L.J.M., 78 (1999) 313
- Derycke, G., Mabon, N., Mandiki, S.N.M., Bister, J.L., Wathelet, J.-P., Marlier, M. and Paquay, R., Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. Animal performance and thyroid histology, 81 (1999) 81
- Derycke, G., see Mandiki, S.N.M., 81 (1999) 93
- Desai, A.D., see Watkins, S.E., 81 (1999) 35
- Dhanoo, M.S., see Lowman, R.S., 80 (1999) 11
- Dhanoo, M.S., see Mauricio, R.M., 79 (1999) 321
- Dingle, J.G., see Khatun, A., 81 (1999) 43
- Dingle, J.G., see Wiryawan, K.G., 76 (1999) 185
- D'Mello, J.P.F., Placinta, C.M. and Macdonald, A.M.C., *Fusarium* mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183
- D'Mello, J.P.F., see Placinta, C.M., 78 (1999) 21
- Dong, G.Z., see Moughan, P.J., 79 (1999) 309
- Dong, G.Z., see Pearson, G., 79 (1999) 301
- Donkoh, A., Atuahene, C.C., Anang, D.M. and Ofori, S.K., Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299
- Donkoh, A., Atuahene, C.C., Poku-Prempeh, Y.B. and Twum, I.G., The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163
- Donzele, J.L., see Oliveira, R.F.M., 81 (1999) 319
- Drennan, M.J., see O'Mara, F.P., 81 (1999) 167
- Dung, D.D., see Larbi, A., 77 (1999) 33
- Earley, A.V., Sowell, B.F. and Bowman, J.G.P., Liquid supplementation of grazing cows and calves, 80 (1999) 281
- Eik, L.O., see Shen, H.S., 80 (1999) 151
- Elangovan, A.V., see Verma, S.V.S., 76 (1998) 169
- Elwinger, K., see Wahlström, A., 77 (1999) 229
- Elzubeir, E.A., see Abd-Elrazig, S.M., 76 (1998) 89
- Eng, E.R., see Shen, H.S., 80 (1999) 151
- Engel-Schaan, C.M., see Maenz, D.D., 81 (1999) 177
- Engels, F.M., see van Laar, H., 79 (1999) 179
- Enjalbert, F., Garrett, J.E., Moncoulon, R., Bayourthe, C. and Chicoteau, P., Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195
- Escribano, F., see Parisini, P., 79 (1999) 155
- Ezenwa, I., see Bamikole, M.A., 80 (1999) 67

- Fadel, J.G., Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255
- Fadel, J.G., see Abou-El-Enin, O.H., 79 (1999) 129
- Fadel, J.G., see Robinson, P.H., 80 (1999) 257
- Faftine, O., Muir, J.P. and Massaete, E., Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1
- Farag, M. Diaa El-Din H. and Mohamed, F.A., Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267
- Farrell, D.J., *The Nutrition of the Rabbit*, C. de Blas and Julian Wiseman, Eds., CAB International Publishing, ISBN 085199279x, Pages 352, Hardback, £55, 1998, 80 (1999) 331
- Farrell, D.J., Mannion, P.F. and Perez-Maldonado, R.A., A comparison of total and digestible amino acids in diets for broilers and layers, 82 (1999) 131
- Favier, R., see Fonty, G., 80 (1999) 297
- Fay, J.P., see Paggi, R.A., 78 (1999) 341
- Fegeros, K., see Mountzouris, K.C., 77 (1999) 115
- Fegeros, K., see Zervas, G., 76 (1998) 65
- Fernández, H.M., see Paggi, R.A., 78 (1999) 341
- Fernández, J.A., see Jørgensen, H., 79 (1999) 79
- Fernández-Carmona, J., see Pascual, J.J., 81 (1999) 105
- Ferris, C.P., see Gordon, F.J., 79 (1999) 15
- Finlayson, H.J., see Ortega-Cerrilla, M.E., 77 (1999) 73
- Finlayson, H.J., see Ortega-Cerrilla, M.E., 77 (1999) 83
- Fiorentini, L., see Rossi, F., 81 (1999) 309
- Fisher, D.S., see Merkel, R.C., 82 (1999) 107
- Fisher, D.S., see Merkel, R.C., 82 (1999) 91
- Fonty, G., Chavarot, M., Lepetit, J., Canistro, J. and Favier, R., Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297
- Forbes, J.M., see Valentin, S.F., 78 (1999) 81
- Foti, F., see Scerra, V., 78 (1999) 169
- Froetschel, M.A., see Mandebvu, P., 77 (1999) 317
- Fuchslocher, R., see Alomar, D., 78 (1999) 57
- Fuchslocher, R., see Alomar, D., 80 (1999) 309
- Furstoss, V., see Julier, B., 79 (1999) 239
- Gabert, V.M., see Jørgensen, H., 79 (1999) 79
- Galbraith, P. and Mandebvu, H., Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37
- García, J., see Nicodemus, N., 80 (1999) 43
- García-Ciudad, A., Ruano, A., Becerro, F., Zabalgoeazcoa, I., Vázquez de Aldana, B.R. and García-Criado, B., Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91
- García-Ciudad, A., see Ruano-Ramos, A., 77 (1999) 331
- García-Criado, B., see García-Ciudad, A., 77 (1999) 91
- García-Criado, B., see Ruano-Ramos, A., 77 (1999) 331
- Garrett, J.E., see Enjalbert, F., 76 (1999) 195
- Gates, R.N., see Mandebvu, P., 77 (1999) 317
- Givens, D.I., see Rymer, C., 78 (1999) 199
- Goelema, J.O., Smits, A., Vaessen, L.M. and Wemmers, A., Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109
- Goelema, J.O., Spreeuwenberg, M.A.M., Hof, G., van der Poel, A.F.B. and Tamminga, S., Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35
- González Teresa, B., see Cosson, T., 77 (1999) 345
- Gordon, F.J., Dawson, L.E.R., Ferris, C.P., Steen, R.W.J. and Kilpatrick, D.J., The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15
- Gordon, F.J., see Park, R.S., 78 (1999) 325
- Goulas, C., see Zervas, G., 76 (1998) 65
- Gowda, S.K., see Verma, S.V.S., 76 (1998) 169
- Grala, M.W.A., see Verstegen, W., 80 (1999) 231
- Grala, W., Verstegen, M.W.A., Jansman, A.J.M., Huisman, J., van Leeuwen, P. and Tamminga, S., Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207
- Grande, D., see Camacho, D., 80 (1999) 123
- Greenhalgh, J.F.D., Guest editorial: Reflections on the publication of scientific research, 80 (1999) 77
- Gruber, L., see Knaus, W., 81 (1999) 265
- Guenther, W., see Slominski, B.A., 78 (1999) 249
- Gufler, H., see Knaus, W., 81 (1999) 265

- Gulati, S.K., Ashes, J.R. and Scott, T.W., Hydrogenation of eicosapentaenoic and docosahexaenoic acids and their incorporation into milk fat, 79 (1999) 57
- Gupta, H.K. and Atreja, P.P., Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159
- Ha, S.D., Maciorowski, K.G., Kwon, Y.M., Jones, F.T. and Ricke, S.C., Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23
- Hansson, I.B., see Pauly, T.M., 78 (1999) 127
- Hatfield, R.D., see Mandevu, P., 77 (1999) 317
- Heinonen, K., see Tesfa, A.T., 76 (1999) 275
- Henry, P.R., see Pott, E.B., 79 (1999) 93, 107
- Herstad, O., see Skrede, A., 76 (1998) 103
- Hill, G.M., see Mandevu, P., 77 (1999) 317
- Hill, J. and Leaver, J.D., Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281
- Hill, J. and Leaver, J.D., Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177
- Hinderberger Jr., E.J., see Pott, E.B., 79 (1999) 93, 107
- Hodgkinson, S.M., see van Wijk, H.J., 76 (1998) 9
- Hof, G., see Goelema, J.O., 76 (1998) 35
- Hogue, D.E., see Molina, D.O., 81 (1999) 69
- Holmes, J.H.G., see Balogun, R.O., 76 (1998) 77
- Homolka, P., see Trínáctý, J., 79 (1999) 269
- Hosamani, S.V., Mehra, U.R. and Dass, R.S., Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117
- Hovell, F.D.D., see Shem, M.N., 81 (1999) 279
- Hristov, A.N., A. McAllister, T. and Cheng, K.J., Stability of exogenous polysaccharide-degrading enzymes in the rumen, 76 (1998) 161
- Huang, H.J., Wen-Shyg Chiou, P., Chen, C.R., Ju-Kuo Chiang and Yu, B., Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303
- Huber, J.T., see Wanderley, R.C., 76 (1999) 207
- Huisman, J., see Grala, W., 80 (1999) 207
- Huisman, J., see Verstegen, W., 80 (1999) 231
- Huntington, J.A., see Rymer, C., 78 (1999) 199
- Huyghe, C., see Julier, B., 79 (1999) 239
- Huyler, M.T. and Kincaid, R.L., The relationship between intestinally available protein and detergent insoluble protein of feedstuffs, 78 (1999) 101
- Hvelplund, T., see Salawu, M.B., 79 (1999) 289
- Hvelplund, T., see Salawu, M.B., 82 (1999) 243
- Hyslop, J.J., see Lowman, R.S., 80 (1999) 11
- Iantcheva, N., Steingass, H., Todorov, N. and Pavlov, D., A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333
- Irish, G.G., Maenz, D.D. and Classen, H.L., A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321
- Irish, G.G., see Maenz, D.D., 76 (1999) 335
- Jalkanen, L., see Pölönen, I., 78 (1999) 39
- Jansen, P.P., see van Wijk, H.J., 76 (1998) 9
- Jansman, A.J.M., see Grala, W., 80 (1999) 207
- Jansman, A.J.M., see Verstegen, W., 80 (1999) 231
- Jean, K.B. and Chiang, S.H., Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1999) 241
- Jiménez, G., see Camacho, D., 80 (1999) 123
- Jinhui, Z., see Defa, L., 78 (1999) 179
- Johnson, E.W., see Defa, L., 78 (1999) 179
- Jones, F.T., see Ha, S.D., 76 (1998) 23
- Jones, R.J., see Balogun, R.O., 76 (1998) 77
- Jørgensen, H., Gabert, V.M. and Fernández, J.A., Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79
- Julier, B., Lila, M., Furstoss, V., Travers, V. and Huyghe, C., Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239
- Ju-Kuo Chiang, see Huang, H.J., 77 (1999) 303
- Kamra, D.N., see Sahoo, A., 80 (1999) 83
- Karim, S.A., see Sankhyan, S.K., 82 (1999) 261
- Keady, T.W.J. and Mayne, C.S., The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57
- Kenny, M.J., see Woods, V.B., 80 (1999) 135
- Khan, M.u.N., see Sarwar, M., 82 (1999) 121
- Khatun, A., Ali, M.A. and Dingle, J.G., Comparison of the nutritive value for laying hens of diets

- containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43
- Kibon, A., see Yahaya, M.S., 79 (1999) 137
- Kilpatrick, D.J., see Dawson, L.E.R., 82 (1999) 21
- Kilpatrick, D.J., see Gordon, F.J., 79 (1999) 15
- Kim, J.H., see Oh, Y.G., 78 (1999) 227
- Kim, K.H., see Oh, Y.G., 78 (1999) 227
- Kimambo, A.E., see Shem, M.N., 81 (1999) 279
- Kincaid, R.L., see Huyler, M.T., 78 (1999) 101
- Kivilahti, K., see Tesfa, A.T., 76 (1999) 275
- Klein, P., see Skřivanová, V., 77 (1999) 139
- Knaus, W., Luger, K., Zollitsch, W., Gufler, H., Gruber, L., Murauer, C. and Lettner, F., Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265
- Kondo, T., Ohshita, T., Kyuma, T., Touno, E. and Murai, M., Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321
- Konishi, C., Matsui, T., Park, W., Yano, H. and Yano, F., Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115
- Korhonen, H., see Pölönen, I., 78 (1999) 39
- Koytsotolis, K., see Zervas, G., 76 (1998) 65
- Kraidees, M.S., Abouheif, M.A., Al-Saiady, M.Y., Tag-Eldin, A. and Metwally, H., The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149
- Krause, D.O., see McSweeney, C.S., 82 (1999) 227
- Kwon, Y.M., see Ha, S.D., 76 (1998) 23
- Kyuma, T., see Kondo, T., 80 (1999) 321
- Lambert, A., Lucas, F. and Blanchart, G., Dynamic study of the release and the utilisation of ¹⁵N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75
- Larbi, A., Dung, D.D., Olorunju, P.E., Smith, J.W., Tanko, R.J., Muhammad, I.R. and Adekunle, I.O., Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33
- Leaver, J.D., see Hill, J., 77 (1999) 281
- Leaver, J.D., see Hill, J., 82 (1999) 177
- Ledoux, D.R., Belyea, R.L., Wallig, M.A. and Tumbleson, M.E., Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1999) 227
- Lees, B.M., see Stanford, K., 81 (1999) 249
- Le Liboux, S. and Peyraud, J.L., Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297
- Lepetit, J., see Fonty, G., 80 (1999) 297
- Lettner, F., see Knaus, W., 81 (1999) 265
- Licitra, G., Van Soest, P.J., Schadt, I., Carpino, S. and Sniffen, C.J., Influence of the concentration of the protease from *Streptomyces griseus* relative to ruminal protein degradability, 77 (1999) 99
- Lila, M., see Julier, B., 79 (1999) 239
- Lindberg, L.-A., see Tesfa, A.T., 76 (1999) 275
- Liu, J.X., Orskov, E.R. and Chen, X.B., Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345
- Long, R.J., Apori, S.O., Castro, F.B. and Ørskov, E.R., Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101
- Lopes, F.C.F., see Aroeira, L.J.M., 78 (1999) 313
- Lopez, S., McIntosh, F.M., Wallace, R.J. and Newbold, C.J., Effect of adding acetogenic bacteria on methane production by mixed rumen microorganisms, 78 (1999) 1
- López, S., see Carro, M.D., 79 (1999) 279
- Lowman, R.S., Theodorou, M.K., Hyslop, J.J., Dhanoa, M.S. and Cuddeford, D., Evaluation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11
- Lucas, F., see Lambert, A., 82 (1999) 75
- Luger, K., see Knaus, W., 81 (1999) 265
- Maasdorpe, B.V., Muchenje, V. and Titterton, M., Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49
- Mabon, N., see Derycke, G., 81 (1999) 81
- Mabon, N., see Mandiki, S.N.M., 81 (1999) 93
- Macdonald, A.M.C., see D'Mello, J.P.F., 80 (1999) 183
- Macdonald, A.M.C., see Placinta, C.M., 78 (1999) 21
- Maciorowski, K.G., see Ha, S.D., 76 (1998) 23
- Mackill, D.J., see Abou-El-Enin, O.H., 79 (1999) 129
- Maenz, D.D., Engele-Schaan, C.M., Newkirk, R.W. and Classen, H.L., The effect of minerals and mineral chelators on the formation of phytase-

- resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177
- Maenz, D.D., Irish, G.G. and Classen, H.L., Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335
- Maenz, D.D., see Irish, G.G., 76 (1999) 321
- Maertens, L., see Xiccato, G., 77 (1999) 201
- Mäkelä, J., see Pölönen, I., 78 (1999) 39
- Maldonado-Vasquez, H., see Aroeira, L.J.M., 78 (1999) 313
- Manbeck, H.B., see D'Alfonso, T.H., 80 (1999) 29
- Mandebvu, H., see Galbraith, P., 82 (1999) 37
- Mandebvu, P., West, J.W., Froetschel, M.A., Hatfield, R.D., Gates, R.N. and Hill, G.M., Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317
- Mandibaya, W. and Chihora, R.M., The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287
- Mandiki, S.N.M., Mabon, N., Derycke, G., Bister, J.L., Wathélet, J.-P., Paquay, R. and Marlier, M., Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance2. Plasma substances and activity of the thyroid, 81 (1999) 93
- Mandiki, S.N.M., see Derycke, G., 81 (1999) 81
- Mannion, P.F., see Farrell, D.J., 82 (1999) 131
- Mantzios, A., see Zervas, G., 76 (1998) 65
- Marlier, M., see Derycke, G., 81 (1999) 81
- Marlier, M., see Mandiki, S.N.M., 81 (1999) 93
- Marounek, M., see Skřivanová, V., 77 (1999) 139
- Marounek, M., Suchorska, O. and Savka, O., Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223
- Martelli, G., see Parisini, P., 79 (1999) 155
- Masoero, F., see Rossi, F., 81 (1999) 309
- Massaete, E., see Faftine, O., 76 (1998) 1
- Mateos, G.G., see Medel, P., 82 (1999) 145
- Mathews, M. Campbell, see Robinson, P.H., 80 (1999) 257
- Matos, L.L.de, see Aroeira, L.J.M., 78 (1999) 313
- Matsui, T., see Konishi, C., 80 (1999) 115
- Matsuoka, S., see Yahaya, M.S., 79 (1999) 137
- Mauricio, R., see Vitti, D.M., 79 (1999) 145
- Mauricio, R.M., Mould, F.L., Dhanoa, M.S., Owen, E., Channa, K.S. and Theodorou, M.K., A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321
- Mavimbela, D.T., see van Ryssen, J.B.J., 78 (1999) 263
- Mayne, C.S., see Keady, T.W.J., 81 (1999) 57
- McAllister, A.T., see Hristov, A.N., 76 (1998) 161
- McAllister, T.A., see Baah, J., 77 (1999) 213
- McIntosh, F., see Teferedegne, B., 78 (1999) 11
- McIntosh, F.M., see Lopez, S., 78 (1999) 1
- McKinnon, J.J., see Mustafa, A.F., 76 (1999) 265
- McKinnon, J.J., see Mustafa, A.F., 80 (1999) 247
- McSweeney, C.S., Palmer, B., Bunch, R. and Krause, D.O., In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227
- Medel, P., Salado, S., de Blas, J.C. and Mateos, G.G., Processed cereals in diets for early-weaned piglets, 82 (1999) 145
- Meeske, R., Basson, H.M. and Cruywagen, C.W., The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237
- Mehra, U.R., see Hosamani, S.V., 76 (1998) 117
- Méndez, J., see Nicodemus, N., 80 (1999) 43
- Merkel, R.C., Pond, K.R., Burns, J.C. and Fisher, D.S., Intake, digestibility and nitrogen utilization of three tropical tree legumesI. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91
- Merkel, R.C., Pond, K.R., Burns, J.C. and Fisher, D.S., Intake, digestibility and nitrogen utilization of three tropical tree legumesII. As protein supplements, 82 (1999) 107
- Metwally, H., see Kraidees, M.S., 76 (1998) 149
- Meurens, M., see Xiccato, G., 77 (1999) 201
- M'ncene, W.B., Tuitoek, J.K. and Muiruri, H.K., Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239
- Mohamed, F.A., see Farag, M. Diaa El-Din H., 77 (1999) 267
- Mohanna, C. and Nys, Y., Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241
- Mohanna, C., Carré, B. and Nys, Y., Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255
- Molina, D.O., Pell, A.N. and Hogue, D.E., Effects of ruminal inoculations with tannin-tolerant bacteria

- on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69
- Moloney, A.P. and O'Kiely, P., Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221
- Moloney, A.P., see Woods, V.B., 80 (1999) 135
- Moncoulon, R., see Enjalbert, F., 76 (1999) 195
- Montero, R., see Alomar, D., 78 (1999) 57
- Morel, P.C.H., see Pearson, G., 79 (1999) 301
- Moughan, P.J., Dong, G.Z., Pearson, G. and Wilkinson, B.H.P., Protein quality in blood meal.II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309
- Moughan, P.J., see Pearson, G., 79 (1999) 301
- Moughan, P.J., see van Wijk, H.J., 76 (1998) 9
- Mould, F., see Vitti, D.M., 79 (1999) 145
- Mould, F.L., see Mauricio, R.M., 79 (1999) 321
- Mountzouris, K.C., Fegeros, K. and Papadopoulos, G., Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115
- Muchenje, V., see Maasdorp, B.V., 77 (1999) 49
- Muhammad, I.R., see Larbi, A., 77 (1999) 33
- Muir, J.P., see Faftine, O., 76 (1998) 1
- Muiruri, H.K., see M'ncene, W.B., 78 (1999) 239
- Mulligan, F.J., see Woods, V.B., 80 (1999) 135
- Mündel, H.-H., see Stanford, K., 81 (1999) 249
- Murai, M., see Kondo, T., 80 (1999) 321
- Murauer, C., see Knaus, W., 81 (1999) 265
- Murphy, J.J., The effects of increasing the proportion of molasses in the diet of milking dairy cows on milk production and composition, 78 (1999) 189
- Murphy, M.R., see Corley III, R.N., 79 (1999) 247
- Mustafa, A.F., McKinnon, J.J. and Christensen, D.A., Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247
- Mustafa, A.F., McKinnon, J.J. and Christensen, D.A., Effect of moist heat treatment on in-vitro degradability and ruminal escape protein and amino acids of mustard meal, 76 (1999) 265
- Mustafa, I.A., see Belal, I.E., 81 (1999) 291
- Nahed, J., see Camacho, D., 80 (1999) 123
- Näsi, M., Piironen, J. and Partanen, K., Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize-soybean meal or barley-soybean meal diets, 77 (1999) 125
- Nefzaoui, A., see Ben Salem, H., 78 (1999) 297
- Newbold, C.J., see Lopez, S., 78 (1999) 1
- Newbold, C.J., see Nsereko, V.L., 76 (1998) 51
- Newbold, C.J., see Teferedegne, B., 78 (1999) 11
- Newkirk, R.W., see Maenz, D.D., 81 (1999) 177
- Nicodemus, N., Carabaño, R., García, J., Méndez, J. and de Blas, C., Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43
- Niemelä, P., see Pölönen, I., 78 (1999) 39
- Nsereko, V.L., Rooke, J.A., Newbold, C.J. and Wallace, R.J., Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51
- Nys, Y., see Mohanna, C., 77 (1999) 241, 255
- Obiyan, R.I., see Onifade, A.A., 77 (1999) 25
- Ochoa, S., see Camacho, D., 80 (1999) 123
- Odenyo, A., see Teferedegne, B., 78 (1999) 11
- Ofori, S.K., see Donkoh, A., 81 (1999) 299
- Oh, Y.G., Kim, K.H., Kim, J.H., Choung, J.J. and Chamberlain, D.G., The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage supplemented with starch or sucrose, 78 (1999) 227
- Ohshita, T., see Kondo, T., 80 (1999) 321
- O'Kiely, P., see Moloney, A.P., 81 (1999) 221
- Oliveira, R.F.M. and Donzele, J.L., Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319
- Olorunju, P.E., see Larbi, A., 77 (1999) 33
- O'Mara, F.P., Coyle, J.E., Drennan, M.J., Young, P. and Caffrey, P.J., A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167
- O'Mara, F.P., see Woods, V.B., 80 (1999) 135
- Onifade, A.A., Obiyan, R.I., Onipede, E., Adejumo, D.O., Abu, O.A. and Babatunde, G.M., Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25
- Onipede, E., see Onifade, A.A., 77 (1999) 25
- Ørskov, E.R., see Liu, J.X., 76 (1999) 345
- Ørskov, E.R., see Apori, S.O., 76 (1998) 129
- Ørskov, E.R., see Long, R.J., 80 (1999) 101
- Ørskov, E.R., see Verbič, J., 82 (1999) 195
- Ortega-Cerrilla, M.E., Finlayson, H.J. and Armstrong, D.G., Protection of starch in barley

- against rumen degradation by glutaraldehyde and formaldehyde as assessed by the dacton bag technique, 77 (1999) 83
- Ortega-Cerrilla, M.E., Finlayson, H.J. and Armstrong, D.G., The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73
- Ortiz, L.T., see Rebolé, A., 78 (1999) 153
- Osuji, P.O., see Teferedegne, B., 78 (1999) 11
- Ovejero, F.J., see Carro, M.D., 79 (1999) 279
- Owen, E., see Mauricio, R.M., 79 (1999) 321
- Owen, E., see Vitti, D.M., 79 (1999) 145
- Owen, T., Adogla-Bessa, E. and Adesogan, A.T., Ensiling of whole crop wheat with cellulase-hemicellulase based enzymes³. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51
- Paggi, R.A., Fay, J.P. and Fernández, H.M., Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341
- Palmer, B., see McSweeney, C.S., 82 (1999) 227
- Papachristou, T.G., Platis, P.D., Papanastasis, V.P. and Tsiouvaras, C.N., Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267
- Papadopoulos, G., see Mountzouris, K.C., 77 (1999) 115
- Papanastasis, V.P., see Papachristou, T.G., 80 (1999) 267
- Papon, Y., see Broudiscou, L.-P., 77 (1999) 149
- Papon, Y., see Broudiscou, L.P., 79 (1999) 43
- Paquay, R., see Derycke, G., 81 (1999) 81
- Paquay, R., see Mandiki, S.N.M., 81 (1999) 93
- Parisini, P., Martelli, G., Sardi, L. and Escribano, F., Protein and energy retention in pigs fed diets containing sepiolite, 79 (1999) 155
- Park, R.S., Agnew, R.E., Gordon, F.J. and Barnes, R.J., The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325
- Park, W., see Konishi, C., 80 (1999) 115
- Partanen, K., see Näsi, M., 77 (1999) 125
- Pascual, J.J., Tolosa, C., Cervera, C., Blas, E. and Fernández-Carmona, J., Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105
- Pathak, N.N., see Sahoo, A., 80 (1999) 83
- Pauly, T.M., Hansson, I.B. and Tham, W.A., The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127
- Pavlov, D., see Iantcheva, N., 81 (1999) 333
- Pearson, G., Moughan, P.J., Dong, G.Z. and Morel, P.C.H., Protein quality in blood meal.I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301
- Pearson, G., see Moughan, P.J., 79 (1999) 309
- Pearson, G., see van Wijk, H.J., 76 (1998) 9
- Pell, A.N., see Molina, D.O., 81 (1999) 69
- Pérez Vendrell, A.M., see Cosson, T., 77 (1999) 345
- Pérez-Gil, F., see Camacho, D., 80 (1999) 123
- Perez-Maldonado, R.A., see Farrell, D.J., 82 (1999) 131
- Pessarakli, M., see Wanderley, R.C., 76 (1999) 207
- Peters, J.P., see Watkins, S.E., 81 (1999) 35
- Peyraud, J.L., see Le Liboux, S., 76 (1999) 297
- Phillips, N., see Rodehutsord, M., 82 (1999) 213
- Piironen, J., see Näsi, M., 77 (1999) 125
- Piva, G., see Rossi, F., 81 (1999) 309
- Placinta, C.M., D'Mello, J.P.F. and Macdonald, A.M.C., A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21
- Placinta, C.M., see D'Mello, J.P.F., 80 (1999) 183
- Platis, P.D., see Papachristou, T.G., 80 (1999) 267
- Poku-Prempeh, Y.B., see Donkoh, A., 77 (1999) 163
- Pölönen, I., Niemelä, P., Xiao, Y., Jalkanen, L., Korhonen, H. and Mäkelä, J., Formic acid-sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39
- Pond, K.R., see Merkel, R.C., 82 (1999) 91, 107
- Pösö, R., see Tesfa, A.T., 76 (1999) 275
- Pott, E.B., Henry, P.R., Rao, P.V., Hinderberger Jr., E.J. and Ammerman, C.B., Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107
- Pott, E.B., Henry, P.R., Zanetti, M.A., Rao, P.V., Hinderberger Jr., E.J. and Ammerman, C.B., Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93
- Prestløkken, E., Corrigendum to "In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs"

- [Anim. Feed Sci. Technol. 77 (1999) 1–23], 82 (1999) 271
- Prestløkken, E., In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1
- Prestløkken, E., Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157
- Rakow, G., see Slominski, B.A., 78 (1999) 249
- Rama Rao, S.V., Ramasubba Reddy, V. and Ravindra Reddy, V., Non-phytin phosphorus requirements of commercial broilers and White Leghorn layers, 80 (1999) 1
- Rama Rao, S.V., Ravindra Reddy, V. and Ramasubba Reddy, V., Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211
- Ramasubba Reddy, V., see Rama Rao, S.V., 79 (1999) 211
- Ramasubba Reddy, V., see Rama Rao, S.V., 80 (1999) 1
- Rao, P.V., see Pott, E.B., 79 (1999) 93, 107
- Rattunde, H.F.W., see Zerbini, E., 81 (1999) 17
- Ravindra Reddy, V., see Rama Rao, S.V., 79 (1999) 211
- Ravindra Reddy, V., see Rama Rao, S.V., 80 (1999) 1
- Razdan, A., see Bergh, M.O., 78 (1999) 215
- Reñé, D., see Cosson, T., 77 (1999) 345
- Rebolé, A., Rodríguez, M.L., Alzueta, C., Ortiz, L.T. and Treviño, J., A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153
- Refstie, S., Svihus, B., Shearer, K.D. and Storebakken, T., Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysaccharide content in different soyabean products, 79 (1999) 331
- Ricke, S.C., see Ha, S.D., 76 (1998) 23
- Roberson, K.D., Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91
- Robinson, P.H., Mathews, M. Campbell and Fadel, J.G., Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48h, and comparison to 48h in sacco neutral detergent fibre digestion, 80 (1999) 257
- Rodehutsord, M., Young, P., Phillips, N. and White, C.L., Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213
- Rodríguez, M.L., see Rebolé, A., 78 (1999) 153
- Römer, A. and Abel, H., Effects of dl-methionine hydroxyanalogue (MHA) or dl-methionine (dl-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193
- Rooke, J.A., see Nsereko, V.L., 76 (1998) 51
- Roothaert, R.L., Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1
- Roothaert, R.L., see Salawu, M.B., 77 (1999) 181
- Rossi, F., Fiorentini, L., Masoero, F. and Piva, G., Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309
- Rossnagel, B.G., see Ankrah, N.O., 81 (1999) 205
- Roush, W.B., see D'Alfonso, T.H., 80 (1999) 29
- Ruano, A., see García-Ciudad, A., 77 (1999) 91
- Ruano-Ramos, A., García-Ciudad, A. and García-Criado, B., Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331
- Rymer, C., Huntington, J.A. and Givens, D.I., Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199
- Saeed, M.N., see Sarwar, M., 82 (1999) 121
- Sahoo, A., Agarwal, N., Kamra, D.N., Chaudhary, L.C. and Pathak, N.N., Influence of the level of molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83
- Salado, S., see Medel, P., 82 (1999) 145
- Salawu, M.B., Acamovic, T., Stewart, C.S. and Roothaert, R.L., Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181
- Salawu, M.B., Acamovic, T., Stewart, C.S., Hvelplund, T. and Weisbjerg, M.R., The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289
- Salawu, M.B., Stewart, T., Acamovic, C.S., Hvelplund, T. and Weisbjerg, M.R., The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243
- Saloniemi, H., see Tesfa, A.T., 76 (1999) 275
- Sankhyan, S.K., Shinde, A.K., Bhatta, R. and Karim, S.A., Comparison of diet and faecal collection

- methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261
- Sardi, L., see Parisini, P., 79 (1999) 155
- Sarwar, M., Khan, M.u.N. and Saeed, M.N., Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121
- Saukko, T., see Tesfa, A.T., 76 (1999) 275
- Sauvant, D., see Valentin, S.F., 78 (1999) 81
- Savka, O., see Marounek, M., 80 (1999) 223
- Scerra, V., Caridi, A., Foti, F. and Sinatra, M.C., Influence of dairy *Penicillium spp.* on nutrient content of citrus fruit peel, 78 (1999) 169
- Schadt, I., see Licitra, G., 77 (1999) 99
- Scholten, R.H.J., van der Peet-Schwering, C.M.C., Verstegen, M.W.A., den Hartog, L.A., Schrama, J.W. and Vesseur, P.C., Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1
- Schrama, J.W., see Scholten, R.H.J., 82 (1999) 1
- Scott, T.W., see Gulati, S.K., 79 (1999) 57
- Shand, W.J., see Apori, S.O., 76 (1998) 129
- Sharma, A., see Zerbini, E., 81 (1999) 17
- Shayo, C.M. and Udén, P., Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141
- Shayo, C.M. and Udén, P., Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63
- Shearer, K.D., see Refstie, S., 79 (1999) 331
- Shem, M.N., Hovell, F.D.D. and Kimambo, A.E., Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279
- Shen, H.S., Sundstøl, F., Eng, E.R. and Eik, L.O., Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151
- Sherwood, H., see Bowman, J.G.P., 78 (1999) 273
- Shinde, A.K., see Sankhyan, S.K., 82 (1999) 261
- Shiyan, Q., see Defa, L., 78 (1999) 179
- Short, F.J., Wiseman, J. and Boorman, K.N., Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195
- Silva Filho, J.C., see Vitti, D.M., 79 (1999) 145
- Simbaya, J., see Slominski, B.A., 78 (1999) 249
- Šimek, M., see Trínáctý, J., 79 (1999) 269
- Sims, P.L., see Bailey, D.W., 76 (1998) 95
- Sinatra, M.C., see Scerra, V., 78 (1999) 169
- Sinclair, F.L., see Thorne, P.J., 81 (1999) 119
- Singh, G.P., see Das, A., 81 (1999) 133
- Skřivanová, V., Marounek, M. and Klein, P., Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139
- Skrede, A., Berge, G.M., Storebakken, T., Herstad, O., Aarstad, K.G. and Sundstøl, F., Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103
- Slominski, B.A., Simbaya, J., Campbell, L.D., Rakow, G. and Guenter, W., Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249
- Smith, J.W., see Larbi, A., 77 (1999) 33
- Smits, A., see Goelema, J.O., 78 (1999) 109
- Sniffen, C.J., see Licitra, G., 77 (1999) 99
- Soevik, T., Relationship between analysed and theoretical content of diethylether extractable fat in standardised commercial feed mixtures for farm animals, 79 (1999) 65
- Sokhansanj, S.R.T., see Ankrah, N.O., 81 (1999) 205
- Soto, L., see Camacho, D., 80 (1999) 123
- Sowell, B.F., see Bowman, J.G.P., 78 (1999) 273
- Sowell, B.F., see Earley, A.V., 80 (1999) 281
- Spanghero, M. and Volpelli, L.A., A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151
- Spanghero, M., see Susmel, P., 79 (1999) 223
- Spreeuwenberg, M.A.M., see Goelema, J.O., 76 (1998) 35
- Stanford, K., Wallins, G.L., Lees, B.M. and Mündel, H.-H., Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249
- Steen, R.W.J., see Gordon, F.J., 79 (1999) 15
- Stefanon, B., see Susmel, P., 79 (1999) 223
- Steingass, H., see Iantcheva, N., 81 (1999) 333
- Stewart, C.S., see Salawu, M.B., 77 (1999) 181
- Stewart, C.S., see Salawu, M.B., 79 (1999) 289
- Stewart, T., see Salawu, M.B., 82 (1999) 243
- Stockebrand, S., see Alomar, D., 80 (1999) 309
- Storebakken, T., see Refstie, S., 79 (1999) 331
- Storebakken, T., see Skrede, A., 76 (1998) 103
- Subba, D.B., see Thorne, P.J., 81 (1999) 119
- Suchorska, O., see Marounek, M., 80 (1999) 223
- Sundstøl, F., see Shen, H.S., 80 (1999) 151
- Sundstøl, F., see Skrede, A., 76 (1998) 103
- Sundstøl, F., see Tolera, A., 79 (1999) 165

- Sundstøl, F., see Tolera, A., 81 (1999) 1
- Susmel, P., Spanghero, M. and Stefanon, B., Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223
- Svihus, B., see Refstie, S., 79 (1999) 331
- Syrjälä-Qvist, L., see Tesfa, A.T., 76 (1999) 275
- Tag-Eldin, A., see Kraidees, M.S., 76 (1998) 149
- Taillade, P., see Cosson, T., 77 (1999) 345
- Tait, R.M., see Baah, J., 77 (1999) 213
- Takahashi, J., see Yahaya, M.S., 79 (1999) 137
- Tamminga, S., *Grass for Dairy cattle*. J.H. Cherney and D.J.R. Cherney (Eds.), CABI Publishing, Wallingford, UK, 1998, Hardback £ 60.00 (US\$ 110.00), 416 pp., ISBN 0-85199-288-9., 80 (1999) 329
- Tamminga, S., see Goelema, J.O., 76 (1998) 35
- Tamminga, S., see Grala, W., 80 (1999) 207
- Tamminga, S., see van Laar, H., 79 (1999) 179
- Tanko, R.J., see Larbi, A., 77 (1999) 33
- Teferedegne, B., McIntosh, F., Osuji, P.O., Odenyo, A., Wallace, R.J. and Newbold, C.J., Influence of foliage from different accessions of the sub-tropical leguminous tree, *Sesbania sesban*, on ruminal protozoa in Ethiopian and Scottish sheep, 78 (1999) 11
- Tesfa, A.T., Tuori, M., Syrjälä-Qvist, L., Pösö, R., Saloniemi, H., Heinonen, K., Kivilahti, K., Saukko, T. and Lindberg, L.-A., The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275
- Thacker, P.A., Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hullless barley, 79 (1999) 29
- Thacker, P.A., see Defa, L., 78 (1999) 179
- Tham, W.A., see Pauly, T.M., 78 (1999) 127
- Thapa, B., see Thorne, P.J., 81 (1999) 119
- Theodorou, M.K., see Lowman, R.S., 80 (1999) 11
- Theodorou, M.K., see Mauricio, R.M., 79 (1999) 321
- Thomke, S., see Wahlström, A., 77 (1999) 229
- Thorne, P.J., Subba, D.B., Walker, D.H., Thapa, B., Wood, C.D. and Sinclair, F.L., The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119
- Tisserand, J.L., see Ben Salem, H., 78 (1999) 297
- Titterton, M., see Maasdorp, B.V., 77 (1999) 49
- Todorov, N., see Iantcheva, N., 81 (1999) 333
- Tolera, A. and Sundstøl, F., Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1
- Tolera, A., Berg, T. and Sundstøl, F., The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165
- Tolosa, C., see Pascual, J.J., 81 (1999) 105
- Touno, E., see Kondo, T., 80 (1999) 321
- Travers, V., see Julier, B., 79 (1999) 239
- Treviño, J., see Rebolé, A., 78 (1999) 153
- Třinácý, J., Šimek, M. and Homolka, P., Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269
- Trocino, A., see Xiccato, G., 77 (1999) 201
- Tsiouvaras, C.N., see Papachristou, T.G., 80 (1999) 267
- Tuah, A.K., see Baah, J., 77 (1999) 213
- Tuitoeck, J.K., see M'ncene, W.B., 78 (1999) 239
- Tumbleson, M.E., see Ledoux, D.R., 76 (1999) 227
- Tuori, M., see Tesfa, A.T., 76 (1999) 275
- Twum, I.G., see Donkoh, A., 77 (1999) 163
- Tyler, R.T., see Ankrah, N.O., 81 (1999) 205
- Udén, P., see Shayo, C.M., 78 (1999) 141
- Udén, P., see Shayo, C.M., 82 (1999) 63
- Vaessen, L.M., see Goelema, J.O., 78 (1999) 109
- Valdés, C., see Carro, M.D., 79 (1999) 279
- Valentin, S.F., Williams, P.E.V., Forbes, J.M. and Sauvant, D., Comparison of the in vitro gas production technique and the nylon bag degradability technique to measure short- and long-term processes of degradation of maize silage in dairy cows, 78 (1999) 81
- van der Peet-Schwering, C.M.C., see Scholten, R.H.J., 82 (1999) 1
- van der Poel, A.F.B., see Goelema, J.O., 76 (1998) 35
- van Gelder, A.H., see Cone, J.W., 76 (1999) 251
- van Kempen, T. and Bodin, J.C., Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feedstuffs, 76 (1998) 139
- van Laar, H., Tamminga, S., Williams, B.A., Verstegen, M.W. and Engels, F.M., Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179
- van Leeuwen, P., see Grala, W., 80 (1999) 207
- van Leeuwen, P., see Verstegen, W., 80 (1999) 231
- van Ryssen, J.B.J. and Mavimbela, D.T., Broiler litter as a source of selenium for sheep, 78 (1999) 263
- Van Soest, P.J., see Licitra, G., 77 (1999) 99

- van Wijk, H.J., Moughan, P.J., Hodgkinson, S.M., Jansen, P.P and Pearson, G., Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9
- Verbič, J., Ørskov, E.R., Žgajnar, J., Chen, X.B. and Žnidaršič-Pongrac, V., The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195
- Vázquez de Aldana, B.R., see García-Ciudad, A., 77 (1999) 91
- Verma, S.V.S., Gowda, S.K. and Elangovan, A.V., Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169
- Verneque, R.S., see Aroeira, L.J.M., 78 (1999) 313
- Verstegen, M.W., see van Laar, H., 79 (1999) 179
- Verstegen, M.W.A., see Grala, W., 80 (1999) 207
- Verstegen, M.W.A., see Scholten, R.H.J., 82 (1999) 1
- Verstegen, W., Grala, M.W.A., Jansman, A.J.M., Huisman, J. and van Leeuwen, P., Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231
- Vesseur, P.C., see Scholten, R.H.J., 82 (1999) 1
- Vitti, D.M., Abdalla, A.L., Silva Filho, J.C., del Mastro, N.L., Mauricio, R., Owen, E. and Mould, F., Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugarcane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145
- Vittori, A., see Aroeira, L.J.M., 78 (1999) 313
- Volpelli, L.A., see Spanghero, M., 81 (1999) 151
- Wahlström, A., Elwinger, K. and Thomke, S., Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229
- Waldroup, P.W., see Watkins, S.E., 81 (1999) 35
- Walker, D.H., see Thorne, P.J., 81 (1999) 119
- Wallace, R.J., see Lopez, S., 78 (1999) 1
- Wallace, R.J., see Nsereko, V.L., 76 (1998) 51
- Wallace, R.J., see Teferedegne, B., 78 (1999) 11
- Wallig, M.A., see Ledoux, D.R., 76 (1999) 227
- Wallins, G.L., see Stanford, K., 81 (1999) 249
- Wanderley, R.C., Alhadhrami, G.A., Pessarakli, M., Aquino-Ramos, J.L. and Huber, J.T., An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207
- Wathelet, J.-P., see Derycke, G., 81 (1999) 81
- Wathelet, J.-P., see Mandiki, S.N.M., 81 (1999) 93
- Watkins, S.E., Waldroup, P.W., Peters, J.P. and Desai, A.D., Stability of bacitracin methylene disalicylate and chlortetracycline in combination in a pelleted pig feed, 81 (1999) 35
- Weisbjerg, M.R., see Salawu, M.B., 79 (1999) 289
- Weisbjerg, M.R., see Salawu, M.B., 82 (1999) 243
- Wemmers, A., see Goelema, J.O., 78 (1999) 109
- Wen-Shyg Chiou, P., see Huang, H.J., 77 (1999) 303
- Wen-Shyg Chiou, P., Yu, B. and Wu, S.S., Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65
- Wensing, T., see Xu, C., 81 (1999) 161
- West, J.W., see Mandevu, P., 77 (1999) 317
- White, C.L., see Rodehutsord, M., 82 (1999) 213
- Wilkinson, B.H.P., see Moughan, P.J., 79 (1999) 309
- Williams, B.A., see van Laar, H., 79 (1999) 179
- Williams, P.E.V., see Valentin, S.F., 78 (1999) 81
- Wiryawan, K.G. and Dingle, J.G., Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185
- Wiseman, J., see Agunbiade, J.A., 80 (1999) 165
- Wiseman, J., see Short, F.J., 79 (1999) 195
- Woldeghebriel, A., see Corley III, R.N., 79 (1999) 247
- Wood, C.D., see Thorne, P.J., 81 (1999) 119
- Woods, V.B., Moloney, A.P., Mulligan, F.J., Kenny, M.J. and O'Mara, F.P., The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135
- Wu, S.S., see Wen-Shyg Chiou, P., 78 (1999) 65
- Xiao, R.J., Xu, Z.R. and Chen, H.L., Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119
- Xiao, Y., see Pölönen, I., 78 (1999) 39
- Xiccato, G., Trocino, A., Carazzolo, A., Meurens, M., Maertens, L. and Carabaño, R., Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201
- Xu, C., Wensing, T. and Beynen, A.C., Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161
- Xu, Z.R., see Xiao, R.J., 79 (1999) 119
- Yahaya, M.S., Takahashi, J., Matsuoka, S. and Kibon, A., Effect of supplementary feeding of

- cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137
- Yano, F., see Konishi, C., 80 (1999) 115
- Yano, H., see Konishi, C., 80 (1999) 115
- Yosef, E. and Ben-Ghedalia, D., Changes in thioacidolysis products of lignin in wheat straw as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 80 (1999) 55
- Young, P., see O'Mara, F.P., 81 (1999) 167
- Young, P., see Rodehutscord, M., 82 (1999) 213
- Yu, B., see Huang, H.J., 77 (1999) 303
- Yu, B., see Wen-Shyg Chiou, P., 78 (1999) 65
- Zabalgogezcoa, I., see García-Ciudad, A., 77 (1999) 91
- Zanetti, M.A., see Pott, E.B., 79 (1999) 93
- Zerbini, E., Sharma, A. and Rattunde, H.F.W., Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17
- Zervas, G., Fegeros, K., Koytsotolis, K., Goulas, C. and Mantzios, A., Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65
- Žgajnar, J., see Verbič, J., 82 (1999) 195
- Žnidaršič-Pongrac, V., see Verbič, J., 82 (1999) 195
- Zollitsch, W., see Knaus, W., 81 (1999) 265



ELSEVIER

Animal Feed Science and Technology

82 (1999) 287–325

ANIMAL FEED
SCIENCE AND
TECHNOLOGY

www.elsevier.com/locate/anifeedsci

Subject Index

Animal Feed Science and Technology, volumes 76–82

Acacia angustissima

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Acacia boliviana

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Acacia cyanophylla

Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

Acetogenic bacteria

Effect of adding acetogenic bacteria on methane production by mixed rumen microorganisms, 78 (1999) 1

Acetyl bromide lignin

Changes in thioacidolysis products of lignin in wheat straw as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 80 (1999) 55

Acid phosphatase

Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize–soybean meal or barley–soybean meal diets, 77 (1999) 125

Additive

The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

ADF

Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77

ADL

Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77

3-ADON, 3-acetyl DON

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

15-ADON, 15-acetyl DON

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Aerobic stability

Ensiling of whole crop wheat with cellulase–hemicellulase based enzymes³. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51

AFB₁, aflatoxin B₁

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Affinity purified

Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335

Agglutination

A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321
Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335

Alfalfa hay

Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269

Alfalfa

Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321

Alkali treatment

Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169

Allantoin

Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279

AME values

A comparison of total and digestible amino acids in diets for broilers and layers, 82 (1999) 131

Amelioration

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Amino acid profile

Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feedstuffs, 76 (1998) 139

Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267

Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65

Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79

Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

Protein quality in blood meal.I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301

Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309

Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157

Ammonia treatment

Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129

Ammonia-treated barley straw

Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149

Anaerobic fungi

Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297

Animal agriculture

Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Animal fat

Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115

Animal performance

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance1. Animal performance and thyroid histology, 81 (1999) 81

Animal physiology

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance2. Plasma substances and activity of the thyroid, 81 (1999) 93

Animal waste

Broiler litter as a source of selenium for sheep, 78 (1999) 263

Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267

Antibiotics

Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223

Stability of bacitracin methylene disalicylate and chlortetracycline in combination in a pelleted pig feed, 81 (1999) 35

Antimicrobial additives

Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139

Arabinoxylans

Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219

Assay

A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321

Enzymatic assays for xylanase and β -glucanase feed enzymes, 77 (1999) 345

Asystasia intrusa

Intake, digestibility and nitrogen utilization of three tropical tree legumes I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91

Azolla

Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43

Bacteria

Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61

Bacterial protein meal

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

Bagasse

Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugarcane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145

Barley cultivars

Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Barley grain

Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen,

blood and carcass characteristics of young entire male lambs, 82 (1999) 37

Barley variety

Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79

Barley

Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9

The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73

Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hullless barley, 79 (1999) 29

Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247

Processed cereals in diets for early-weaned piglets, 82 (1999) 145

Behavior

Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273

Benzoic acid

Formic acid-sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39

Bermudagrass

Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317

Berseem supplementation

Effect of different levels of berseem (*Trifolium alexandrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

BHBA, β -hydroxybutyrate

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Bile acids

Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161

Bioavailability

Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107

Blood analytes

Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Blood composition

Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25

Blood meal

Protein quality in blood meal.I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301

Protein quality in blood meal.II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Blood metabolites

Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221

Blood parameters

The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

Body composition

Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1999) 241

Broiler chicks

Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267

Broiler litter

Broiler litter as a source of selenium for sheep, 78 (1999) 263

Broilers

Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1999) 227

The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

Non-phytin phosphorus requirements of commercial broilers and White Leghorn layers, 80 (1999) 1

Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299

Browse intake

Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Browse plants

Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129

Browse

Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

Brush border membrane

A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321

Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335

Buddleia

Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Buffalo

Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121

Buffaloes

Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117

By-pass protein

Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309

By-product feedstuffs

Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255

Caecum

Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223

Calibration transfer

The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325

Calliandra calothyrsus

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

Intake, digestibility and nitrogen utilization of three tropical tree legumes II. As protein supplements, 82 (1999) 107

***Calliandra* sp.**

Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

Camels' and cows' nutrition

An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Canola

The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177

Carbohydrate substrates

Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223

Carbohydrate supplements

The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage supplemented with starch or sucrose, 78 (1999) 227

Carcass characteristics

Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119

Carcass

Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37

Cassava peels

Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213

Cattle beef

The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135

Cattle-beef supplement

Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273

Cattle-communal

The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287

Cattle-dairy

Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65

Cattle

The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57

Effect of different levels of berseem (*Trifolium alexandrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167

Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221

Cell walls

Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179

Cell-wall digestibility

Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239

Cell-wall

Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239

Cellulolytic bacteria

Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297

Cereal grains

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Chelation

The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177

Chemical analysis

Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299

Chemical composition

Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249

Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1

Ensiling of whole crop wheat with cellulase-hemicellulase based enzymes³. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51

Chick

Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219

Chicken-broiler

Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241

Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255

A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153

Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Chicken

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185

The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211

Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysaccharide content in different soyabean products, 79 (1999) 331

Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223

Effects of dl-methionine hydroxylanalogues (MHA) or dl-methionine (dl-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193

Cholecalciferol

Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211

Citrus fruit peel

Influence of dairy *Penicillium* spp. on nutrient content of citrus fruit peel, 78 (1999) 169

Clinical enzymes

Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25

Cloning

The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325

Clostridium tyrobutyricum

The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127

Cnidoscolus aconitifolius

The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

Co-occurrence

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Colostrum

The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21

Composition

Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9

Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43

Compound feeds

Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201

Concentrate feeds

Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67

The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135

A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167

Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177

Concentration

Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199

Condensed tannin

Intake, digestibility and nitrogen utilization of three tropical tree legumes I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91

Consecutive batch culture

Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

Control strategies

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Copper

Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93

Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107

Cow/calf performance

Liquid supplementation of grazing cows and calves, 80 (1999) 281

Crambe meal

Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1999) 227

Crop residue

The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

Crossbred cattle calves

Influence of the level of molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83

Crossbred dairy cows

Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313

Crude protein

Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255

Crumbled pellets

Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

Dacron bag technique

Protection of starch in barley against rumen degradation by glutaraldehyde and formaldehyde as assessed by the dacron bag technique, 77 (1999) 83

Daily gain

Intake, digestibility and nitrogen utilization of three tropical tree legumes II. As protein supplements, 82 (1999) 107

Dairy cow

Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297

Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303

The effects of increasing the proportion of molasses in the diet of milking dairy cows on milk production and composition, 78 (1999) 189

Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1

Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265

Dairy

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

DAS, diacetoxyscirpenol

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Dates

Evaluation of date-feed ingredients mixes, 81 (1999) 291

De-oiled rice bran

Influence of the level of molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83

Decontamination

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Defaunation

Influence of foliage from different accessions of the sub-tropical leguminous tree, *Sesbania sesban*, on ruminal protozoa in Ethiopian and Scottish sheep, 78 (1999) 11

Degradability

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of

protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287

Degradation

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179

The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195

Detergent insoluble protein

The relationship between intestinally available protein and detergent insoluble protein of feedstuffs, 78 (1999) 101

DHP

Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159

Diet sampling

Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Dietary fibre

Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219

Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysaccharide content in different soyabean products, 79 (1999) 331

Dietary starch

Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105

Dietary viscosity

Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255

Diets

Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry

mash diets containing varying levels of protein, 76 (1998) 23

Digestibility in vivo

The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135

Digestibility

Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185

Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115

Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize-soybean meal or barley-soybean meal diets, 77 (1999) 125

Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139

Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281

A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153

Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239

Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hullless barley, 79 (1999) 29

Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79

Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269

Protein quality in blood meal.I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301

Protein quality in blood meal.II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysaccharide content in different soyabean products, 79 (1999) 331

Changes in thioacidolysis products of lignin in wheat straw as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 80 (1999) 55

The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57

A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151

A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167

Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249

A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333

Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63

Intake, digestibility and nitrogen utilization of three tropical tree legumes.I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91

Intake, digestibility and nitrogen utilization of three tropical tree legumes.II. As protein supplements, 82 (1999) 107

Digestible amino acid

Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feedstuffs, 76 (1998) 139

Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43

Digestible energy

Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165

Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Intake, digestibility and nitrogen utilization of three tropical tree legumes I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91

Digestible protein

Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43

Digestion kinetics

Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317

Digestion

Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149

Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213

Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121

DM degradability

Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1

DOE

Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

DON, deoxynivalenol

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Dried rice distillers' grain

Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303

Dry season

Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287

Drying method

Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309

EAA, essential amino acids

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Egg production

Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89

Electron irradiation

Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugarcane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145

ELEM, equine leukoencephalomalacia

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

ELISA, enzyme-linked immunosorbent assay

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Endogenous nitrogen losses

Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207

Endogenous nitrogen

Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231

Energy intake

Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105

Energy utilisation

The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

Energy value

A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333

Energy

Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9

Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185

Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255

A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151

Ensilage

Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Ensiling

The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237

Entire male lambs

Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37

Environmental temperature

Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Enzymatic digestibility

Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239

Enzymatic methods

A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333

Enzyme

Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185

A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153

Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Equine

Evulation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11

Equivalents

Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255

Error estimation

Partitioning of variance in true metabolizable energy determinations: an example using wheat data, 80 (1999) 29

Ethanol production

Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247

Ethanol treatment

Effect of ethanol concentration and application period of soyabean meal on the kinetics of ruminal digestion, 79 (1999) 247

Ether linkages

Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell

wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317

Ethnobotany

Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Ewes

The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21

Expander treatment

Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157

Expander

In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

Extrusion

Processed cereals in diets for early-weaned piglets, 82 (1999) 145

Faba beans

Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Faecal sampling

Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Faeces

Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321

Fat digestion

Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161

Fat

Relationship between analysed and theoretical content of diethylether extractable fat in standardised commercial feed mixtures for farm animals, 79 (1999) 65

Fatty acids

Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115

FB₁, FB₂, FB₃, fumonisin mycotoxins B₁, B₂, B₃

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

FDNB-lysine

Protein quality in blood meal.II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Feed conservation

Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265

Feed intake

Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1

Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265

Feed mills

Evaluation of date-feed ingredients mixes, 81 (1999) 291

Feed segregation

Stability of bacitracin methylene disalicylate and chlortetracycline in combination in a pelleted pig feed, 81 (1999) 35

Feed selection

Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1

Feed

Enzymatic assays for xylanase and β -glucanase feed enzymes, 77 (1999) 345

Hydrothermal and β -glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205

Feeding behavior

Liquid supplementation of grazing cows and calves, 80 (1999) 281

Feeding frequency

Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297

Feeding value

Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303

Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43

Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249

Feedstuff evaluation

Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feedstuffs, 76 (1998) 139

A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321

Feedstuffs

A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151

Fermentation models

Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

Fermentation pattern

Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297

Fermentation

Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

Effect of DL-malate on mixed ruminal micro-organism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279

Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223

The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57

Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1

Fermented blood meal

Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239

Fermenter

Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

Fertilizer

Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121

Ferulic acid

Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317

Fibre degradation

Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195

Fibrolitic enzymes

Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317

Ficus

Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213

Finishing pigs

Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119

Fish oil

Hydrogenation of eicosapentaenoic and docosa-hexaenoic acids and their incorporation into milk fat, 79 (1999) 57

The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57

Fish

Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysaccharide content in different soyabean products, 79 (1999) 331

Fodder beet

Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221

Fodder quality

The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

Fodder trees

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1

Fodder

Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Folic acid

Formic acid-sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39

Forage intake

Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273

Liquid supplementation of grazing cows and calves, 80 (1999) 281

Forage particle size

Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297

Forage protein degradation

An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Forage quality

Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

Forage

Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281

Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177

Forbs

Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

Formaldehyde

Protection of starch in barley against rumen degradation by glutaraldehyde and formaldehyde as assessed by the dacron bag technique, 77 (1999) 83

The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73

Formic acid

Formic acid-sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39

Freezing

Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

Fumonisin

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

***Fusarium* sp., Trichothecenes**

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Gas production

Influence of protein fermentation on gas production profiles, 76 (1999) 251

Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345

Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199

A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321

Evulation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11

Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1

Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333

Gastrointestinal tract

Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1

Gelatinization

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

General feed mixtures

Relationship between analysed and theoretical content of diethylether extractable fat in standardised commercial feed mixtures for farm animals, 79 (1999) 65

Genotypes

Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

Gliricidia sepium

Intake, digestibility and nitrogen utilization of three tropical tree legumesII. As protein supplements, 82 (1999) 107

 β -glucanase

Enzymatic assays for xylanase and β -glucanase feed enzymes, 77 (1999) 345

Hydrothermal and β -glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205

Glucosinolates

Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1999) 227

Glutaraldehyde

Protection of starch in barley against rumen degradation by glutaraldehyde and formaldehyde as assessed by the dacron bag technique, 77 (1999) 83

Glycerol

Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341

Goats

Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159

Gompertz model

Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

Grain legumes

Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185

Grain

The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

Grass silage

The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127

The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage supplemented with starch or sucrose, 78 (1999) 227

The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195

Grasses

Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91

Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

Grassland management

Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101

Grassland samples

Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

Grazing

Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Greece

Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Grinding

Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

Groundnut

Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

Growing pigs

Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179

Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239

Growth Inhibition

Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61

Growth performance

The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149

The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179

Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hullless barley, 79 (1999) 29

Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161

Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299

Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1

Growth

Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119

Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43

Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37

Guar Gum

Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255

Guinea grass

Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67

Halophyte

The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149

Hay

Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67

The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237

A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333

The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195

Heat production

The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

Heat treatment

Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115

Effect of moist heat treatment on in-vitro degradability and ruminal escape protein and amino acids of mustard meal, 76 (1999) 265

Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

HEHR, high energy-high rapeseed meal

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

HELR, high energy-low rapeseed meal

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Heterogeneity

The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127

Highlands of Chiapas

Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Histological analyses

Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151

Homogeneity

The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127

Hull-less barley

Hydrothermal and β -glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205

Ileal digestibility

Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195

Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207

Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231

Ileal

Protein quality in blood meal.I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301

Protein quality in blood meal.II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Immunity

Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179

In sacco degradability

Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101

In sacco degradation

Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129

In sacco digestion

Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129

In sacco

Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48h, and comparison to 48h in sacco neutral detergent fibre digestion, 80 (1999) 257

In situ degradation

An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

In situ dry matter degradability

Comparison of the in vitro gas production technique and the nylon bag degradability technique to measure short- and long-term processes of degradation of maize silage in dairy cows, 78 (1999) 81

In situ dry matter disappearance

Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugarcane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145

in vitro digestibility

Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141

Ensiling of whole crop wheat with cellulase-hemicellulase based enzymes³. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51

in vitro gas production

Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129

Comparison of the in vitro gas production technique and the nylon bag degradability technique to measure short- and long-term processes of degradation of maize silage in dairy cows, 78 (1999) 81

Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugarcane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145

Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101

In vitro technique

A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333

In vitro

Influence of protein fermentation on gas production profiles, 76 (1999) 251

Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149

Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199

A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321

Evaluation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11

Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48h, and comparison to 48h in sacco neutral detergent fibre digestion, 80 (1999) 257

In vivo

Evaluation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11

Income

Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

Indigenous communities

Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Indigenous knowledge

The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

Ingredient amino acid digestibility

A comparison of total and digestible amino acids in diets for broilers and layers, 82 (1999) 131

Ingredient composition

Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201

Inhibitors

Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Inoculant

The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237

Inoculation

Effects of ruminal inoculations with tannin-tolerant bacteria on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69

Intake

Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

Interactions

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Interference

Stability of bacitracin methylene disalicylate and chlortetracycline in combination in a pelleted pig feed, 81 (1999) 35

Intestinal digestibility

Effect of pressure toasting on the rumen degradability and intestinal digestibility of

whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

Intestinal disappearance

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

Intestine

A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321

Lactating cows

Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177

Lactating ewes

Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65

Lactating performance

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303

Lactation

Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43

Lactic acid

Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341

Lambs

The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149

Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107

Layers

Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169

Non-phytin phosphorus requirements of commercial broilers and White Leghorn layers, 80 (1999) 1
Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43

Laying hens

Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

Lectin

A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321

Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335

Legumes

Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

LEHR, low energy-high rapeseed meal

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

LELR, low energy-low rapeseed meal

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Lentil

Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249

Leucaena leaf meal

Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159

Leucaena leucocephala

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Level of berseem

Effect of different levels of berseem (*Trifolium alexandrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

Level of intake

The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135

Lignin requirements

Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43

Liquid diets

Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1

Listeria monocytogenes

The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127

Litter mortality

Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105

Liver fat

Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89

Livestock

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Lucas test

Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141

Lucas/uniformity test

Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63

Lucerne

Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239

Lupin

Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and

without a supplementation of rumen protected methionine, 82 (1999) 213

Maintenance

The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

Maize grain

Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65

Maize silage

Comparison of the in vitro gas production technique and the nylon bag degradability technique to measure short- and long-term processes of degradation of maize silage in dairy cows, 78 (1999) 81

Maize stover

Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1

Maize

The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

Processed cereals in diets for early-weaned piglets, 82 (1999) 145

DL-malate

Effect of DL-malate on mixed ruminal microorganism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279

Manganese

Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241

Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255

Mash

Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

Maturity

Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1999) 241

Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*)

on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121

Meat and bone meal

Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23

Meat quality

Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119

Mechanical action

Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297

Medium-chain triglycerides

Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1999) 241

MEHR, moderate energy-high rapeseed meal

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

MELR, moderate energy-low rapeseed meal

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Metabolism

Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Metabolites

Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223

Metabolizable energy

A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153

Partitioning of variance in true metabolizable energy determinations: an example using wheat data, 80 (1999) 29

Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165

Methane production

Effect of adding acetogenic bacteria on methane production by mixed rumen microorganisms, 78 (1999) 1

Methanogenesis

Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

Methionine hydroxyanalogue utilization

Effects of dl-methionine hydroxyanalogue (MHA) or dl-methionine (dl-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193

Micro-organism

Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

Microbial adhesion to forage

An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Microbial inoculant

Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317

Microbial interaction

Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297

Microbial phytase

The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177

Microbial protein synthesis

The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage supplemented with starch or sucrose, 78 (1999) 227

Microbial protein

Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279

Microbial synthesis

The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195

Micronization

Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hullless barley, 79 (1999) 29

Processed cereals in diets for early-weaned piglets, 82 (1999) 145

Milk fat

Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115

Hydrogenation of eicosapentaenoic and docosahexaenoic acids and their incorporation into milk fat, 79 (1999) 57

Milk production

Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159

Milk protein

The effects of increasing the proportion of molasses in the diet of milking dairy cows on milk production and composition, 78 (1999) 189

Milk yield

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105

Milled wood lignin

Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321

Millet

Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

Mimosa tannins

The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243

Mimosine

Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159

Mineral content

Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

Minerals

Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize-soybean meal or barley-soybean meal diets, 77 (1999) 125

The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177

Mink

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

Formic acid-sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39

Mobile bag

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243

Modeling

Influence of protein fermentation on gas production profiles, 76 (1999) 251

Moisture content

Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345

Molasses

The effects of increasing the proportion of molasses in the diet of milking dairy cows on milk production and composition, 78 (1999) 189

Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239

Influence of the level of molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83

Molecular weight

Dynamic study of the release and the utilisation of ¹⁵N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75

Molybdenum

Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93

Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107

Morphological fraction

Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151

Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1

Mortality

Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139

Mottgrass

Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121

MP-cows, multiparous

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Mustard meal

Effect of moist heat treatment on in-vitro degradability and ruminal escape protein and amino acids of mustard meal, 76 (1999) 265

Myrabolam tannins

The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243

N-balance trials

Effects of dl-methionine hydroxyanalogue (MHA) or dl-methionine (dl-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193

¹⁵N

An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Native range

Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273

NDF

Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77

NEAA, non-essential amino acids

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Near infrared analysis

The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325

Near infrared spectroscopy

Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91

Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

Near-infrared reflectance spectroscopy (NIRS)

Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201

Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309

Near-infrared reflectance

Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

Neem bitters

Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169

Neem kernel meal

Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169

NEFA, non-esterified fatty acids

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

NEO, neosolaniol

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Neutral detergent solubles

Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63

Neutral sugars

Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179

Nigeria

Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

NIR spectra

Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309

NIR

Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

NIRS

Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feedstuffs, 76 (1998) 139

Nitrogen balance

Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95

Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79

Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207

Nitrogen content

Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91

Nitrogen disappearance

Effect of ethanol concentration and application period of soyabean meal on the kinetics of ruminal digestion, 79 (1999) 247

Nitrogen substrates

Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Nitrogen

In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

NIV, nivalenol

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Non-lactating dairy cow

Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195

Nutrient digestibility

Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165

Nutrient utilization

Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117

Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Nutrition

Protein and energy retention in pigs fed diets containing sepiolite, 79 (1999) 155

Nutritional uniformity

Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141

Nutritive value

Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129

Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201

Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249

The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287

Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1

The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101

The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227

Nylon bag digestion

Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77

Nylon bags methods

Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157

Nylon bags

In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

Nylon capsule

Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269

Obano

The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

Oil palm slurry

The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

Organs

Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Palm kernels

Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165

Paraserianthes falcataria

Intake, digestibility and nitrogen utilization of three tropical tree legumesII. As protein supplements, 82 (1999) 107

Particle size

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Pasture

Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Pea globulin

Dynamic study of the release and the utilisation of ¹⁵N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75

Pea

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231

Peanut skins

Effects of ruminal inoculations with tannin-tolerant bacteria on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69

Pearl millet

Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89

Peas

Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

Pelleting

Hydrothermal and β -glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205

Pellets

Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265

Penicillium camemberti

Influence of dairy *Penicillium* spp. on nutrient content of citrus fruit peel, 78 (1999) 169

Penicillium roqueforti

Influence of dairy *Penicillium* spp. on nutrient content of citrus fruit peel, 78 (1999) 169

Pennisetum purpureum

Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313

Pepsin-HCl hydrolysis

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

Peptide

Dynamic study of the release and the utilisation of ¹⁵N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75

Perennial ryegrass

Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Performance

Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25

Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139

Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265

Phosphorus requirement

Non-phytin phosphorus requirements of commercial broilers and White Leghorn layers, 80 (1999) 1

Phosphorus

Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate

phosphorus degradation in vitro and in pigs fed maize–soybean meal or barley–soybean meal diets, 77 (1999) 125

Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91

Phytase

Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize–soybean meal or barley–soybean meal diets, 77 (1999) 125

Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241

Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211

Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91

Phytate phosphorus

Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115

Phytate

Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241

Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211

The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177

Phytic acid

Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize–soybean meal or barley–soybean meal diets, 77 (1999) 125

The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177

Pig-growing

Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hullless barley, 79 (1999) 29

Pig

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1999) 241

Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115

Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize–soybean meal or barley–soybean meal diets, 77 (1999) 125

Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79

Protein and energy retention in pigs fed diets containing sepiolite, 79 (1999) 155

Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301

Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91

Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165

Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207

Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231

A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151

Effects of dl-methionine hydroxyanalogue (MHA) or dl-methionine (dl-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193

Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1

Piglet nutrition

Processed cereals in diets for early-weaned piglets, 82 (1999) 145

Piliostigma thonningii

The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287

Plant cell wall degradation

Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297

Plant oils

Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115

Plasma constituents

Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179

Plasma lipids

Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Polyethylene glycol

Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227

Polyphenolics

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Polyphenols

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Polysaccharide-degrading enzymes

Stability of exogenous polysaccharide-degrading enzymes in the rumen, 76 (1998) 161

Posilo

The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

Postpartum

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Potential utility index

The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

Poultry chicken

Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195

Poultry feed

Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23

Poultry

Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249

PP-cows, primiparous

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Pre-soaking

Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199

Prediction

Evaluation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11

Preference

Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Pregnancy

The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21

Preparation

Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production

profile of high temperature dried grass, 78 (1999) 199

Prepartum

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Preservation

Formic acid–sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39

The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237

Pressure toasting

Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

Pressure

Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345

Proanthocyanidins

Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

Intake, digestibility and nitrogen utilization of three tropical tree legumesI. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91

Intake, digestibility and nitrogen utilization of three tropical tree legumesII. As protein supplements, 82 (1999) 107

Processing

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Production response

Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Pronase

Protein quality in blood meal.II. The effect of processing on in vivo nitrogen digestibility in

rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Propionate

Effect of DL-malate on mixed ruminal microorganism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279

Protease

Influence of the concentration of the protease from *Streptomyces griseus* relative to ruminal protein degradability, 77 (1999) 99

Protected fat

Hydrogenation of eicosapentaenoic and docosahexaenoic acids and their incorporation into milk fat, 79 (1999) 57

Protected methionine

Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213

Protection

Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213

Protective treatment

Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309

Protein breakdown

Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Protein degradability

Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247

Protein sub-fractions

Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65

Protein supplement

Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1999) 227

Protein synthesis

Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149

Protein

- Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35
- Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95
- Influence of protein fermentation on gas production profiles, 76 (1999) 251
- Influence of the concentration of the protease from *Streptomyces griseus* relative to ruminal protein degradability, 77 (1999) 99
- The relationship between intestinally available protein and detergent insoluble protein of feedstuffs, 78 (1999) 101
- Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109
- Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141
- Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269
- Protein quality in blood meal.II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309
- The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21
- Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157
- The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195
- Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213

Proteolysis

- Dynamic study of the release and the utilisation of 15N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75
- The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243

Proteolytic activity

- Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341

Purine derivatives

- Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

Quality control

- Partitioning of variance in true metabolizable energy determinations: an example using wheat data, 80 (1999) 29

Quantity

- Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255

Quebracho tannins

- The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243

Rabbit

- Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25
- Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139
- Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201
- Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43
- Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67
- Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105

Ractopamine

- Effects of ractopamine at different dietary protein levels on growth performance and carcass

characteristics in finishing pigs, 79 (1999) 119

Radiation processing

Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267

Rangelands

Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Rapeseed hulls

Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231

Rapeseed meal

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance2. Plasma substances and activity of the thyroid, 81 (1999) 93

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance1. Animal performance and thyroid histology, 81 (1999) 81

Rat

Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9

Protein quality in blood meal.I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301

Protein quality in blood meal.II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Rectal temperature

Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Regulation

Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

Requirement

Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91

Residues

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Respiratory rate

Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Rice straw

Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345

Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151

Rice

Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129

Ring-test

Enzymatic assays for xylanase and β -glucanase feed enzymes, 77 (1999) 345

Rotational grazing

Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313

Rumen bacteria

Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Dynamic study of the release and the utilisation of ¹⁵N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75

Rumen degradability

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

Rumen degradation

Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115

Rumen fermentation

Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117

Influence of protein fermentation on gas production profiles, 76 (1999) 251

The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage supplemented with starch or sucrose, 78 (1999) 227

Influence of the level of molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83

Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221

Rumen fluid

Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341

Rumen hydrogenation

Hydrogenation of eicosapentaenoic and docosahexaenoic acids and their incorporation into milk fat, 79 (1999) 57

Rumen microbiology

Effect of adding acetogenic bacteria on methane production by mixed rumen microorganisms, 78 (1999) 1

Rumen protozoa

Influence of foliage from different accessions of the sub-tropical leguminous tree, *Sesbania sesban*, on ruminal protozoa in Ethiopian and Scottish sheep, 78 (1999) 11

Rumen Simulation Technique (RUSITEC)

Effect of DL-malate on mixed ruminal microorganism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279

Rumen stability

Stability of exogenous polysaccharide-degrading enzymes in the rumen, 76 (1998) 161

Rumen-undegradable protein

Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows

from soybean, cottonseed and fish meals, 78 (1999) 65

Rumen

Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61

Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149

Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199

Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297

The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57

In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227

Ruminal degradability

Influence of the concentration of the protease from *Streptomyces griseus* relative to ruminal protein degradability, 77 (1999) 99

Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309

Ruminal degradation

In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

Ruminal digestion

Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297

Ruminal fermentation

Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195

Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303

Ruminal NH₃

Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Ruminants

Stability of exogenous polysaccharide-degrading enzymes in the rumen, 76 (1998) 161

In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73

The relationship between intestinally available protein and detergent insoluble protein of feedstuffs, 78 (1999) 101

Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279

Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157

Ruminococci

Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61

Salicornia

The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149

Salmo salar

Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysaccharide content in different soyabean products, 79 (1999) 331

Salmon

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

Salmonella typhimurium

Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23

Sample handling

Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

Scanning electron microscopy

Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213

Screenings

Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249

Seasonal changes

Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Seasonal variation

Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

Seed

Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

Selenium

Broiler litter as a source of selenium for sheep, 78 (1999) 263

Semi-arid

Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Semi-automation

A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321

Semiarid grassland

Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91

Sepiolite

Protein and energy retention in pigs fed diets containing sepiolite, 79 (1999) 155

Sesbania sesban

Influence of foliage from different accessions of the sub-tropical leguminous tree, *Sesbania sesban*,

on ruminal protozoa in Ethiopian and Scottish sheep, 78 (1999) 11

Sheep digestion

Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321

Sheep production

Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Sheep wether

The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135

Sheep-lamb

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance1. Animal performance and thyroid histology, 81 (1999) 81

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance2. Plasma substances and activity of the thyroid, 81 (1999) 93

Sheep

Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213

Broiler litter as a source of selenium for sheep, 78 (1999) 263

Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93

Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115

Effects of ruminal inoculations with tannin-tolerant bacteria on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69

A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167

Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249

Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213

Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Shell strength

Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89

Silage composition

Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309

Silage

Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221

The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325

The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237

The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243

Silvopastoral practice

Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Single cell protein

Influence of dairy *Penicillium spp.* on nutrient content of citrus fruit peel, 78 (1999) 169

Slaughterhouse offal

Formic acid-sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39

SO₂-treated wheat straw

Changes in thioacidolysis products of lignin in wheat straw as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 80 (1999) 55

Solar-dried blood meal

Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299

Soluble lignin

Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321

Sorghum

Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

Soya bean meal

Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179

Soyabean meal

Effect of ethanol concentration and application period of soyabean meal on the kinetics of ruminal digestion, 79 (1999) 247

Soyabean protein

Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysaccharide content in different soyabean products, 79 (1999) 331

Soyabeans

Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231

Soybean hulls

Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65

Soybean meal

Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23

Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335

Soybean oil

Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65

Stability

Stability of bacitracin methylene disalicylate and chlortetracycline in combination in a pelleted pig feed, 81 (1999) 35

Stable isotopes

An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Standardization

The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325

Starch protection

The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73

Protection of starch in barley against rumen degradation by glutaraldehyde and formaldehyde as assessed by the dacron bag technique, 77 (1999) 83

Starch

Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

Hydrothermal and β -glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205

Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Steam treatment

Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345

Stems

Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

Storage

Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48h, and comparison to 48h in sacco neutral detergent fibre digestion, 80 (1999) 257

Stover

The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

Straw

Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129

Sugar beet pulp

Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37

Sugar profiles

Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345

Sugarcane

Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313

Sunflower seed

A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153

Supplement intake

Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95

The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287

Liquid supplementation of grazing cows and calves, 80 (1999) 281

Supplementation

Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67

Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279

Supplements

Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211

Survival feed

Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1999) 241

Broiler litter as a source of selenium for sheep, 78 (1999) 263

Synchronicity

Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

Syndromes

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Tannins

Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

Effects of ruminal inoculations with tannin-tolerant bacteria on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69

In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227

Temperature

Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48h, and comparison to 48h in sacco neutral detergent fibre digestion, 80 (1999) 257

Tethered

Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Thiamine

Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267

Thin stillage

Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247

Thioacidolysis

Changes in thioacidolysis products of lignin in wheat straw as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 80 (1999) 55

Threonine

Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179

Thyroid

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance². Plasma substances and activity of the thyroid, 81 (1999) 93

Thyroid hormones

Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Thyroid

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance¹. Animal performance and thyroid histology, 81 (1999) 81

Tibetan forages

Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101

Time

Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345

Tissue

Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93

Total tract digestibility

Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

Toxicity

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Treatments

Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185

Tree fodder

The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

Tree legumes

Intake, digestibility and nitrogen utilization of three tropical tree legumes¹. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91

Tripsacum dactyloides

Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95

Triticale

Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219

Tropical browse

Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77

Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141

Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63

Tropical feeds

Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279

Tropical grass

The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237

Tropical legumes

In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227

True digestibility

Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9

UMMB

Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117

Unconventional feed

Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169

Undegradable intake protein

The relationship between intestinally available protein and detergent insoluble protein of feedstuffs, 78 (1999) 101

Urea treatment

Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281

Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151

Variance

Partitioning of variance in true metabolizable energy determinations: an example using wheat data, 80 (1999) 29

Veal calves

Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161

Verano stylo

Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67

Viscosity

Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysaccharide content in different soyabean products, 79 (1999) 331

Volatile fatty acids

Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341

Voluntary intake

Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313

Water consumption

Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

Water extract viscosity

Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219

Weight gain

Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Wheat bran

Evaluation of date-feed ingredients mixes, 81 (1999) 291

Wheat straw

Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117

Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

Wheat

Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195

Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247

Whole crop wheat

Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281

Ensiling of whole crop wheat with cellulase-hemicellulase based enzymes³. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51

Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177

Wilting

The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

Wool growth

Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213

Work bulls

Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

Work output

Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

Xylanase

Enzymatic assays for xylanase and β -glucanase feed enzymes, 77 (1999) 345

Yeast culture

Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195

Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25

Yellow maize

Evaluation of date-feed ingredients mixes, 81 (1999) 291

Yellow-seeded canola

Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249

Yolk colour

Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89

Zearalenone

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

ZEN, zearalenone

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Zinc

Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241

Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255

